

# CLEAN ROOM CONSUMABLES

INDUSTRIAL HEALTH AND SAFETY,  
DISTRIBUTION AND COMMERCIALIZATION



# SAFETY GLASSES

TAC-VIZZION

FOR01113 Estructura de la ficha técnica V1



## SIZES

CHARACTERISTICS	FROM	TO
Infrared filter	R13	R10
UV filter	U2	U6
Welding filter	W13	W14
Visible light filter	L13	L10
Variable tint	V	V
Special use	S	S
Spatters	D3	D3
Dust	D4	D4
Fine dust	D5	D5

## PRESENTATION

12 pieces / 25 dispensaries / box

## FEATURES

- Polycarbonate glasses, scratch resistant, impact and UV protection.
- Antifogging available.
- **Material:** 100% polycarbonate.
- **Colors:** Clear and black.
- **Non Antifogging:** TAC-VIZZION.
- **Antifogging:** TAC-VIZZION-AF.
- **Tinted glass:** TAC-VIZZION-S.
- One size fit all.
- **AQL:** 2.5 Normal simple inspection.
- ANSI Z87.1

## USES AND APPLICATIONS



CATII: PROTECTIVE GEAR

89/686 / ECC and harmonized standard



Industrial use

## PRESERVATIONS RECOMMENDATIONS

- Store in dry and fresh place.
- Keep store in temperatures below 40 C°.
- Keep away from direct sun, fluorescent light and X rays.
- Improper storage may reduce the product life.

## USAGE RECOMMENDATIONS

Clean with tap water and dry with microfiber towel. Do not use corrosive liquids like alcohol or bleach. Be sure to inspect the glasses for dirt and check to see if there are loose parts or if they are in bad condition. We do not recommend its use with high velocity objects or materials.

## POLYPROPYLENE PLAIN HAIR CAP

100% polypropylene, 10g. double latex elastic band for adjustment and grip, stitched elastic.

SIZES: 21" AND 24" / COLOR: WHITE



**Part number:**  
GN-B-PP-21/WH  
GN-B-PP-24/WH

**Packaging**  
100 pieces per bag /  
10 bags per box

## POLYPROPYLENE BEARD COVER

100% polypropylene, elastic band for adjustment and grip, stitched elastic, ear elastic removable.

SIZES: ONE SIZE FITS ALL / COLOR: WHITE.



**Part number:**  
GN-BC-PP-18-W

**Packaging**  
100 pieces per bag /  
10 bags per box

## POLYPROPYLENE PLEATED HAIR CAP

100% polypropylene, 10g. double latex elastic band for adjustment and grip, stitched elastic.

SIZES: 19", 21" AND 24" | COLOR: WHITE



**Part number:**  
GN-B-PP-19-WHPL-SE-HD  
GN-B-PP-21-WHPL-SE-HD  
GN-B-PP-24-WHPL-SE-HC

**Packaging**  
100 pieces per bag /  
10 bags per box

## NINJA HOOD

100% polypropylene, 13g. or 25g. double latex elastic band for adjustment and grip, stitched elastic.

SIZES: ONE SIZE | COLOR: WHITE



**Part number:**  
GN-NH-PP-WH  
GN-NH-PP-25-WH

**Packaging**  
100 pieces per bag /  
10 bags per box



## MICROPOROUS APRON

Microporous fabric apron, 75g. neck and waist fastener, to bring the perfect fit.

Protects body and clothes from dirt, particles and substances.

Size: One size.

Color: White.



Part number:  
GN-A-MP-WH

Packaging:  
10 pieces per bag /  
10 bags per box

## MICROPOROUS SLEEVE COVER

Microporous sleeve, 75g. wrist and elbow elastic for better fit.

Recommended for medical, pharmaceutical and food industries, protects arm from harmful substances.

Size: 18".

Color: White.



Part number:  
GN-SC-MP-18

Packaging:  
200 pieces per bag

## MICROPOROUS GOWN

Microporous laboratory gown, 75g. frontal buttons and elastic wrist for better fit.

Protects body and clothes from dirt, particles and substances.

Sizes: M, L and XL.

Color: White.



Part number:  
GN-LC-MP-(size)

Packaging:  
10 pieces per bag /  
5 bags per box

## MICROPOROUS OVERALL

Microporous overall, 55g. with or without hood, elastic waist, wrist and ankles for a better fit.

Sizes: S, M, L, XL and XXXL.

Color: White.



Part number:  
GN-CA-MP55-(size)-H

Packaging:  
25 pieces per box



## POLYPROPYLENE SHOE COVER

100% polypropylene disposable shoe cover,  
anti-slip soles.


Helps with contamination control.

Sizes: L and XL.

Color: Blue.

Part number:  
GN-SC-PP-LG  
GN-SC-PP-XL

Packaging:  
50 pairs per bag /  
10 bags per box



## WIPER POLYESTER CELLULOSE

Fabric made of 55% cellulose and 45% polyester.

Excellent option for cleaning spills, high absorbent and  
general cleaning use.

**WEIGHT:** 68 +/- 4 gsm.

**SIZES:** 4x4", 6x6", 9x9" and 12x12".

**WIDTH:** 0.25 mm - 0.34mm.

### CONTAMINATION CHARACTERISTICS / PARTICLE DETACHMENT

Particles  
LPC (>=0.5um) 137x10<sup>5</sup> particles/m<sup>2</sup>.  
APC (>=0.34um) 300 particles/ft per min.

## POLYESTER WIPER 160 GSM.

Excellent absorbent material for cleaning and cleaning and control for every process, laser sealed edges to  
stop particle contamination.

**WEIGHT:** 160 gsm.

**SIZES:** 4x4", 6x6", 9x9" and 12x12".

**GROSOR:** 0.25 mm - 0.35 mm.

### POLLUTION CHARACTERISTICS / DETACHMENT OF PARTICLES

Particles 0.5-50 mm 51 x 10<sup>5</sup> particles/m<sup>2</sup>  
50-100 mm 246,825 particles/m<sup>2</sup>  
Fibras 100 mm 144 fibers/m<sup>2</sup>

# FACE COVER

## 3 HEAT-SEALED PLEATED LAYERS



### FUNCTION

Reduce contamination of dust, microorganisms or general particles in the environment.



### APPLICATIONS

- Hospitals
- Dental Clinics
- Food Industries
- Laboratories
- General Use
- Everywhere Without Toxic Dust



### CHARACTERISTICS

- 3 Heat-Sealed Pleated Layers Face Mask
- Meltblown Filter
- 3 Pleated Layers 15+20+25gr
- Disposable
- 3 Horizontal Pleating
- Dimensions:  
Unfolded: 17.5x16cm.  
Folded: 17.5x9.50cm.



### ADVANTAGES

- Lightweight
- Waterproof
- Sealed no stitching



**SPECIFICATIONS:** Nose adjusting | Ear fixing  
**COLORS:** White, blue and black | **Box:** 50 pieces



# TACKY MATS



SIZE	COLOR	30 layers-4/cs	30 layers-8/cs	60 layers-4/cs
18"x36"	White	PM 1836 34 W	PS 1836 38 W	PS 1836 64 W
18"x45"	White	PM 1845 34 W	PS 1845 38 W	PS 1845 64 W
24"x36"	White	PM 2436 34 W	PS 2436 38 W	PS 2436 64 W
26"x45"	White	PM 2645 34 W	PS 2645 38 W	PS 2645 64 W
36"x45"	White	PM 3645 34 W	PS 3645 38 W	PS 3645 64 W

SIZE	COLOR	30 layers-4/cs	30 layers-8/cs	60 layers-4/cs
18"x36"	Blue	PM 1836 34 B	PS 1836 38 B	PS 1836 64 B
18"x45"	Blue	PM 1845 34 B	PS 1845 38 B	PS 1845 64 B
24"x36"	Blue	PM 2436 34 B	PS 2436 38 B	PS 2436 64 B
26"x45"	Blue	PM 2645 34 B	PS 2645 38 B	PS 2645 64 B
36"x45"	Blue	PM 3645 34 B	PS 3645 38 B	PS 3645 64 B

SIZE	COLOR	30 layers-4/cs	30 layers-8/cs	60 layers-4/cs
18"x36"	Gray	PM 1836 34 G	PS 1836 38 G	PS 1836 64 G
18"x45"	Gray	PM 1845 34 G	PS 1845 38 G	PS 1845 64 G
24"x36"	Gray	PM 2436 34 G	PS 2436 38 G	PS 2436 64 G
26"x45"	Gray	PM 2645 34 G	PS 2645 38 G	PS 2645 64 G
36"x45"	Gray	PM 3645 34 G	PS 3645 38 G	PS 3645 64 G

## SPECIFICATIONS

	REGULAR TACK	HIGH TACK
Laminate	LDPE Mixture	LDPE Mixture
Thickness	1.3 ± .2 mil / 33 µm	1.3 ± .2 mil / 33 µm
Adhesive	Acrylic	Acrylic
Adhesive Thickness	0.3 mil / 8 µm	0.3 mil / 8 µm
Top Peeled Adhesive	6.5 oz. / 190g / 25 mm ± 40	6.5 oz. / 190g / 25 mm ± 40
Heat Resistence	158° F / 70° C - 48 Hours	58° F / 70° C - 48 Hours



**SALES:**

**M.B.A LILIANNE HERNÁNDEZ**

**TEL.** 664 689 9081 **EXT.** 103

**CEL.** 664 387 3414

**E-MAIL:** lhernandez@loginam.com



GONEAT.COM.MX